

## Задвижки с электроприводом Z940H-150/300/600/900LB



Архангельск (8182)63-90-72  
Астана (7172)727-132  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16

Пермь (342)205-81-47  
Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13

Сургут (3462)77-98-35  
Тверь (4822)63-31-35  
Томск (3822)98-41-53  
Тула (4872)74-02-29  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Ярославль (4852)69-52-93

Киргизия (996)312-96-26-47    Казахстан (772)734-952-31    Таджикистан (992)427-82-92-69

Единый адрес для всех регионов: [www.yaosheng.nt-rt.ru](http://www.yaosheng.nt-rt.ru) || [ygo@nt-rt.ru](mailto:ygo@nt-rt.ru)

# Задвижка с электроприводом Z940H-150/300/600/900LB

Medium temperature: -29-425 °C

Operation: electric

Medium: water, steam, oil, etc.

Caliber: 2"-36"

Pressure: 150LB-2500LB

Body material: ASTM A216 WCB, ASTM A351 CF8 / CF8M


Connection method: flange / welding

## API Electric Gate Valve Material of main parts

| Part name            | Material                          |
|----------------------|-----------------------------------|
| <b>Body / bonnet</b> | ASTM A216 WCB、ASTM A351 CF8/CF8M  |
| <b>Shutter</b>       | ASTM A216+13Cr、ASTM A351 CF8/CF8M |
| <b>Valve stem</b>    | ASTM A276+420、ASTM A182 F304/316  |
| <b>Stem nut</b>      | brass                             |

Application: It is widely used in various pipelines to cut off or connect the medium in the pipeline.

Choose different materials according to the unused media.



API Electric Gate Valve Z40H Performance specifications

| model      | Nominal pressure (LB) | test pressure (mpa) |       | proper temperature | Applicable medium       |
|------------|-----------------------|---------------------|-------|--------------------|-------------------------|
|            |                       | strength            | seal  |                    |                         |
| Z40H-150LB | 150                   | 3.00                | 2.20  | ≤425°C             | Water, steam, oil, etc. |
| Z40H-300LB | 300                   | 7.50                | 5.50  |                    |                         |
| Z40H-600LB | 600                   | 15.00               | 11.00 |                    |                         |
| Z40H-900LB | 900                   | 22.50               | 16.50 |                    |                         |

API Electric Gate Valve Dimensions and connection dimensions

| model      | Nominal diameter (mm) | size (mm) |     |       |      |        |        |
|------------|-----------------------|-----------|-----|-------|------|--------|--------|
|            |                       | L         | D   | D1    | D2   | b      | z-φd   |
| Z40H-150LB | 2"                    | 178       | 150 | 121   | 92   | 19.5   | 4*φ19  |
|            | 2 1/2"                | 190       | 180 | 140   | 105  | 23     | 4*φ19  |
|            | 3"                    | 203       | 190 | 152.5 | 127  | 24.5   | 4*φ19  |
|            | 4"                    | 229       | 230 | 190.5 | 157  | 24.5   | 8*φ19  |
|            | 5"                    | 254       | 255 | 216   | 186  | 24.5   | 8*φ22  |
|            | 6"                    | 267       | 280 | 241.5 | 216  | 26     | 8*φ22  |
|            | 8"                    | 292       | 345 | 298.5 | 270  | 29     | 8*φ22  |
|            | 10"                   | 330       | 405 | 362   | 324  | 31     | 12*φ25 |
|            | 12"                   | 356       | 485 | 432   | 381  | 32.5   | 12*φ25 |
|            | 14"                   | 381       | 535 | 476.5 | 413  | 35.5   | 12*φ29 |
|            | 16"                   | 406       | 595 | 540   | 470  | 37     | 16*φ29 |
|            | 18"                   | 432       | 635 | 578   | 533  | 40     | 16*φ32 |
|            | 20"                   | 457       | 700 | 635   | 584  | 43.5   | 20*φ32 |
| Z40H-300LB | 24"                   | 508       | 815 | 749.5 | 692  | 48     | 20*φ35 |
|            | 2"                    | 216       | 165 | 127   | 92   | 23     | 8*φ19  |
|            | 2 1/2"                | 241       | 190 | 149   | 105  | 26     | 8*φ22  |
|            | 3"                    | 282       | 210 | 168.5 | 127  | 29     | 8*φ22  |
|            | 4"                    | 305       | 255 | 200   | 157  | 32     | 8*φ22  |
|            | 5"                    | 381       | 280 | 235   | 186  | 35.5   | 8*φ22  |
|            | 6"                    | 403       | 320 | 270   | 216  | 37     | 12*φ22 |
|            | 8"                    | 419       | 380 | 330   | 270  | 42     | 12*φ25 |
|            | 10"                   | 457       | 445 | 387.5 | 324  | 48     | 16*φ29 |
|            | 12"                   | 502       | 520 | 451   | 381  | 51.5   | 16*φ32 |
|            | 14"                   | 762       | 585 | 514.5 | 413  | 54.5   | 20*φ32 |
|            | 16"                   | 838       | 650 | 571.5 | 470  | 58     | 20*φ35 |
|            | 18"                   | 914       | 710 | 628.5 | 533  | 61     | 24*φ35 |
| 20"        | 991                   | 775       | 686 | 584   | 64   | 24*φ35 |        |
| 24"        | 1143                  | 915       | 813 | 692   | 70.5 | 24*φ41 |        |

Архангельск (8182)63-90-72  
 Астана (7172)727-132  
 Астрахань (8512)99-46-04  
 Барнаул (3852)73-04-60  
 Белгород (4722)40-23-64  
 Брянск (4832)59-03-52  
 Владивосток (423)249-28-31  
 Волгоград (844)278-03-48  
 Вологда (8172)26-41-59  
 Воронеж (473)204-51-73  
 Екатеринбург (343)384-55-89

Иваново (4932)77-34-06  
 Ижевск (3412)26-03-58  
 Иркутск (395)279-98-46  
 Казань (843)206-01-48  
 Калининград (4012)72-03-81  
 Калуга (4842)92-23-67  
 Кемерово (3842)65-04-62  
 Киров (8332)68-02-04  
 Краснодар (861)203-40-90  
 Красноярск (391)204-63-61  
 Курск (4712)77-13-04  
 Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
 Москва (495)268-04-70  
 Мурманск (8152)59-64-93  
 Набережные Челны (8552)20-53-41  
 Нижний Новгород (831)429-08-12  
 Новокузнецк (3843)20-46-81  
 Новосибирск (383)227-86-73  
 Омск (3812)21-46-40  
 Орел (4862)44-53-42  
 Оренбург (3532)37-68-04  
 Пенза (8412)22-31-16

Пермь (342)205-81-47  
 Ростов-на-Дону (863)308-18-15  
 Рязань (4912)46-61-64  
 Самара (846)206-03-16  
 Санкт-Петербург (812)309-46-40  
 Саратов (845)249-38-78  
 Севастополь (8692)22-31-93  
 Симферополь (3652)67-13-56  
 Смоленск (4812)29-41-54  
 Сочи (862)225-72-31  
 Ставрополь (8652)20-65-13

Сургут (3462)77-98-35  
 Тверь (4822)63-31-35  
 Томск (3822)98-41-53  
 Тула (4872)74-02-29  
 Тюмень (3452)66-21-18  
 Ульяновск (8422)24-23-59  
 Уфа (347)229-48-12  
 Хабаровск (4212)92-98-04  
 Челябинск (351)202-03-61  
 Череповец (8202)49-02-64  
 Ярославль (4852)69-52-93

Киргизия (996)312-96-26-47    Казахстан (772)734-952-31    Таджикистан (992)427-82-92-69

Единый адрес для всех регионов: [www.yaosheng.nt-rt.ru](http://www.yaosheng.nt-rt.ru) || [ygo@nt-rt.ru](mailto:ygo@nt-rt.ru)